# Cloud Agent Platform Overview

Chris Carlson
VP, Product Management, Qualys, Inc.

Digital Transformation is Driving IT Transformation for Organizations

... But creates new Challenges for Security

Don't know <u>how many</u> assets you have

Don't know <u>when</u> those assets are running

Credential issues / Authentication failures

Monthly / weekly scanning too slow [WannaCry]

Can't scan remote users

Qualys.

Qualys Sensors
Scalable, self-updating & centrally managed

Physical

Legacy data centers

Corporate infrastructure

Continuous security and compliance scanning

Virtual

Private cloud infrastructure

Virtualized Infrastructure

Continuous security and compliance scanning

Cloud/Container

Commercial IaaS & PaaS clouds

Pre-certified in market place

Fully automated with API orchestration

Continuous security and compliance scanning

Cloud Agents

Light weight, multi-platform

On premise, elastic cloud & endpoints

Real-time data collection

Continuous evaluation on platform for security and compliance

Passive

Passively sniff on network

Real-time device discovery & identification

Identification of APT network traffic

Extract malware files from network for analysis

API

Integration with Threat Intel feeds

CMDB Integration

Log connectors

Qualys.

Qualys Cloud Agent Platform

Lightweight
Software Agent

(collects metadata only)

On-Premise
Servers

Public Cloud

User
Endpoints

Windows

Linux

Mac

AIX

Cloud Native

Delivers

Multiple

Built-in

Security

Functions in

one Agent

Qualys.

Qualys Cloud Agent

IT, Security, and Compliance Apps

Delivered by a single agent

AI   Asset Inventory

VM   Vulnerability Management

PC   Policy Compliance

IOC   Indication of Compromise Detection

FIM   File Integrity Monitoring

PM   Patch Management

Qualys Platform

Cloud Agent

Central Management / API

Qualys Suite of Applications

VM **TP** **PC** **AI** **FIM** **IOC**

Efficient Network Usage
(Delta Processing average)

6 – 50 KB / day

Lightweight Metadata
Collection *(tunable)*

~1-2% CPU

Windows, Linux, Mac, AIX

3 MB application

Qualys.

Deploy and Manage Apps on One Cloud Agent

End the fight with IT to deploy security agents!

Enabling an application does not require redeployment or reboot of the system

Self-updating, version control, elastic lifecycle management

Cloud Agent Extends Network Scanning

No scan windows needed – always collecting

Find vulnerabilities faster

Detect a fixed vulnerability faster

Many new Apps only available on Agent

Best for assets that can't be scanned

Unable to get credentials / authentication failures

Remote systems in branch offices / NAT

Roaming user endpoints

Cloud / Elastic deployments

Qualys.

Cloud Agent CPU Tuning - Linux

VM: < 1.2% CPU peak usage for less than 15 mins

AWS EC2

not allowed to scan **nano, micro, or small instances** using network scanning

CPU Utilization (Percent)   Statistic: Average ▼   Time Range: Last 12 Hours ▼   Period: 15 Minutes ▼

0.5% CPU when idle / heartbeat

AWS t2.micro instance running Cloud Agent

Qualys.

Cloud Agent CPU Tuning - Windows

Tunable CPU Limit

Example: 8% configured max on 1-core

(Effective: <2% on 4-core)

Cloud Native – Collect Provider Metadata

AWS EC2	Microsoft Azure	Google Compute Platform	IBM Cloud
accountId	dnsservers	hostname	
amiId	ipv6	**instanceId**	**Coming June 2019**
availabilityZone	location	macAddress	
hostname	macAddress	machineType	datacenterId
hostnamePublic	name	network	deviceName
instanceId	offer	privateIpAddress	publicIp
instanceType	osType	projectId	privateIp
kernelId	privateIpAddress	projectIdNo	**id**
macAddress	publicIpAddress	publicIpAddress	publicVlan
privateIpAddress	publisher	zone	domain
publicIpAddress	resourceGroupName		privateVlan
region	tags		
reservationId	subnet		
securityGroupIds	subscriptionId		
securityGroups	version		
subnetId	**vmId**		
VPCId	vmSize		

Agent collects metadata locally without Connector

2019 Cloud Agent Application Roadmap

Cloud App	Q1 Released	Q2	Q3	Q4
Patch Management	General Availability		Linux	Mac
Vulnerability Management				Middleware Auto-Discovery
Policy Compliance	User Defined Controls		Middleware Auto-Discovery Scan by Policy	Remediation
Indication of Compromise		Threat Feed Alerts/Actions	Linux	Mac Network IOCs
Asset Inventory			Detect Unmanaged Assets on the Network	

Roadmap schedule subject to change

Qualys.

Cloud Agent Deployment Questions

#1 — I am not able to run Cloud Agent on assets that do not have direct access to the Internet due to security policies

#2 — I am (A) not able to use existing proxies deployed by IT or (B) are not able to buy/manage an open-source or full-fledged commercial proxy

#3 — I wish to optimize the bandwidth utilized by large Cloud Agents deployments and Patch Management

Qualys.

Qualys Cloud Agent Gateway (CAG)

A Qualys-developed HTTP proxy/cache running on a new virtual appliance platform

Separate appliance from the Virtual Scanner

CAG appliances are downloaded and managed from Qualys Platform UI

Cloud Agents use existing agent proxy capabilities to connect through CAG to connect to the Qualys platform

How it works

Qualys Platform:

CAG virtual appliance is downloaded from UI by customer, run locally, and registers appliance.

Download
Management
Logging

CAG Virtual Appliance

Cloud Agent Gateway (CAG):

Virtual appliance with Docker containers providing HTTPS Proxying, Caching, Load Balancing, High-Availability, and Logging.

High Avail

Cache

Proxy

Agent communication

Cloud Agent:

Agents use existing HTTPS Proxy features to connect to CAG

(if no proxy, fail over to direct connection)

Qualys.

CAG Deployment

Shared Platform

Internet

Customer Remote Network

Customer Data Center

Proxy

CAG

CAG

Restricted Access Network

Direct Connection Network

18

Qualys.

Expanded CAG Use Cases

Proxy/caching for Patch Management patch downloads

Recommended/Required for on-premises agents

Qualys.

Thank You

Chris Carlson
ccarlson@qualys.com

Adversary TTPs are Changing

Early 2010s

Zero-day Vulnerabilities

(Nation State, Industrial Espionage, Black Market)

Today

Rapidly weaponizing newly-disclosed vulnerabilities

(Lesser Nation State, Industrial, Organized Crime)

Good, Fast, Cheap – Pick all 3

Qualys.

Known Critical Vulnerabilities are Increasing

6-7K vulnerabilities are disclosed each year*

30-40% are ranked as "High" or "Critical" severity

"Mean Time to Weaponize" (MTTW) is rapidly decreasing y/y

Reported Vulnerabilities

Qualys.

Adversaries are Evading Anti-Virus Detection

Multiple Symantec Products CVE-2018-12238 Local Security Bypass Vulnerability

Bugtraq ID: 105917

CVE: CVE-2018-12238

Remote: No   Local: Yes

Published: Nov 28 2018 12:00AM

Credit: Qualys Malware Research Lab

Vulnerable:

Symantec Norton AntiVirus 22.7

Symantec Norton AntiVirus 21.0

Symantec Norton AntiVirus 17.6.0.32

Symantec Endpoint Protection Cloud 12.1.6

Symantec Endpoint Protection Cloud 14

Symantec Endpoint Protection 12.1.6 MP4

Symantec Endpoint Protection 12.1.6

+ 95 other products

QID 371337
QID 371338

Qualys.

Vulnerability Management Lifecycle

Get Proactive – Reduce the Attack Surface

Immediately Identify Vulnerabilities in Production

Notify IT Asset Owner to Patch/Stop the Instance

Change Configuration to Limit Access (Policy Compliance)

Control Network Access / Cloud Security Groups

Add Detection and Response – Endpoint & Network

Qualys.

Proactively Hunt, Detect, and Respond

Indication of Compromise

Detect IOCs, IOAs, and verify Threat Intel

Monitor System Indicators

Monitor the Network

Passive Network Sensor

What new devices are on the network? Are there new/different traffic patterns?

Qualys.

Organizations Struggle to Answer Basic Threat Questions

Are these hashes on/running in my network?

Or these mutexes / processes / registry keys?

Did any endpoints connect to these IPs / Domains?

Are there any connections to TOR exit nodes?

What system is the first impacted? *"Patient Zero"*

Did this spread to others systems? When?

Qualys IOC – Visibility Beyond Anti-Virus

Threat Intel Verification

Threat Intel Feeds / Mandated to Verify
"Is this hash, registry, process, mutex on my network?"

Detect Malware missed
by Anti-Virus

Using Qualys Malware Labs behavior models and leading commercial Threat Feed

API & Alerting

Hunting /
Find Suspicious Activity

Indicator of Activity hunting with pre-built and user-defined queries

"Look Back" Investigation
after a known breach

Go back over months of stored endpoint events and find the first occurrence of a breach

Qualys.

Threat Intel Verification

NotPetya Ransomware spreading using ETERNALBLUE Vulnerability and Credential Stealing

October 6, 2017

On June 27, 2017, NCCIC [13] was notified of Petya malware events occurring in multiple countries and affecting multiple sectors. This variant of the Petya malware—referred to as NotPetya—encrypts files with extensions from a hard-coded list.

Additionally, if the malware gains administrator rights, it encrypts the master boot record (MBR), making the infected Windows computers unusable. NotPetya differs from previous Petya malware primarily in its propagation methods using the ETERNALBLUE vulnerability and credential stealing via a modified version of Mimikatz.

Technical Details

Anti-Virus Coverage

VirusTotal reports 0/66 anti-virus vendors have signatures for the credential stealer as of the date of this report

Files

Delivery – MD5: 71b6a493388e7d0b40c83ce903bc6b04

Installation – MD5: 7e37ab34ecdcc3e77e24522ddfd4852d

Credential Stealer (new) – MD5: d926e76030f19f1f7ef0b3cd1a4e80f9

Secondary Actions

NotPetya leverages multiple propagation methods to spread within an infected network.

According to malware analysis, NotPetya attempts the lateral movement techniques below:

① Threat Intelligence lists attack information …

**②** Search for the file hash here…

③ Find the object there.

# Detect Malware Missed by Anti-Virus

UK Government Contractor

- "Big 4" Anti-virus installed
- Qualys Agent for Vulnerability Mgmt
- Added Qualys IOC on existing agents

Qualys IOC discovered…

- Dridex Banking Trojan (51)
- 4 Domain Controllers infected
- Backdoors (7) installed due to phishing campaigns
- Netcat (8) root kits installed
- 46 PUAs installed

Malware Detection & Scoring – Actionable Responses

Qualys IOC Detection and Scoring Engines

Event Telemetry:
file, process, mutex, network, registry

Commercial Threat Feed

Qualys Malware Labs

10	**Confirmed** – Malicious Process w/ Network Connection
9	**Confirmed** – Malicious Process
8	**Confirmed** – Malicious File
7	**Medium Confidence** Suspicious – Process w/ Network Connection
6	**Medium Confidence** Suspicious – Process
5	**Medium Confidence** Suspicious – File
4	**Low Confidence** Suspicious – Process w/ Network Connection
3	**Low Confidence** Suspicious – Process
2	**Low Confidence** Suspicious – File
1	**Remediated** – Indicator no longer present
0	**Known Good**

Qualys

Pre-Defined & Ad Hoc Threat Hunting

Suspicious process analysis to detect:

- "Fileless" malware attacks

- Non-malware attacks

- Malware evasion techniques

- Compromised processes

# Find Malware using Stolen Code-Signing Certificates

July 2018
Certificates stolen from D-Link and others used by cyberespionage group

welivesecurity™ BY eser

Certificates stolen from Taiwanese tech-companies misused in Plead malware campaign

D-Link and Changing Information Technologies code-signing certificates stolen and abused by highly skilled cyberespionage group focused on East Asia, particularly Taiwan

https://www.welivesecurity.com/2018/07/09/certificates-stolen-taiwanese-tech-companies-plead-malware-campaign/

March 2019
Hackers dropped a secret backdoor in Asus' update software

https://techcrunch.com/2019/03/25/asus-update-backdoor/

Qualys.

Real-Time Responses – Rules, Search, Widgets

Thank You

Chris Carlson
ccarlson@qualys.com